



Hurricane Speed&Performance

Buick							
Part Number	Engine	CYL	Storke	Main Diameter	Rod Diameter	Rod Length	Note
Bui-V6-231-001	V6-231	6	3.400"	2.500"	2.248"	5.970"	2-PC Real Seal
Bui-V6-231-002	V6-231	6	3.625"	2.500"	2.248"	5.970"	2-PC Real Seal
Bui-V6-231-003	V6-231	6	3.400"	2.500"	2.248"	5.970"	1-PC Real Seal
Chevy							
Part Number	Engine	CYL	Storke	Main Diameter	Rod Diameter	Rod Length	Note
Che-350-001	350	8	3.250"~3.750"	2.449"	2.100"	5.700"	2-PC Real Seal, Int
Che-350-002	350	8	3.250"~3.750"	2.449"	2.100"	5.700"	2-PC Real Seal, Int
Che-350-003	350	8	3.750"~4.125"	2.449"	2.100"	6.000"	2-PC Real Seal, Int
Che-350-004	350	8	3.750"~4.125"	2.449"	2.100"	6.000"	2-PC Real Seal, Int
Che-350LW-001	350LW	8	3.250"~3.750"	2.449"	2.100"	5.700"	2-PC Real Seal, Int
Che-350LW-002	350LW	8	3.250"~3.750"	2.449"	2.100"	5.700"	2-PC Real Seal, Int
Che-350LA-001	350LA	8	3.480"~3.750"	2.449"	2.100"	5.700"	2-PC Real Seal, Int
Che-350LA-002	350LA	8	3.480"~3.750"	2.449"	2.100"	5.700"	2-PC Real Seal, Int
Che-353-001	353	8	3.480"~3.750"	2.449"	2.100"	5.700"	1-PC Real Seal, Int
Che-353-002	353	8	3.480"~3.750"	2.449"	2.100"	5.700"	1-PC Real Seal, Int
Che-353-003	353	8	3.750"~4.000"	2.449"	2.100"	6.000"	1-PC Real Seal, Int
Che-353-004	353	8	3.750"~4.000"	2.449"	2.100"	6.000"	1-PC Real Seal, Int
Che-353LW-001	353LW	8	3.480"~3.750"	2.449"	2.100"	5.700"	1-PC Real Seal, Int
Che-353LW-002	353LW	8	3.480"~3.750"	2.449"	2.100"	5.700"	1-PC Real Seal, Int
Che-400-001	400	8	3.480"~3.750"	2.649"	2.100"	5.700"	2-PC Real Seal, Int
Che-400-002	400	8	3.480"~3.750"	2.649"	2.100"	5.700"	2-PC Real Seal, Int
Che-400-003	400	8	3.750"~4.125"	2.649"	2.100"	6.000"	2-PC Real Seal, Int
Che-400-004	400	8	3.750"~4.125"	2.649"	2.100"	6.000"	2-PC Real Seal, Int
Che-454-001	454	8	3.766"~4.000"	2.749"	2.200"	6.135"	2-PC Real Seal, Int
Che-454-002	454	8	4.000"	2.749"	2.200"	6.135"	2-PC Real Seal, Int
Che-454-003	454	8	4.000"	2.749"	2.200"	6.135"	2-PC Real Seal, Int
Che-454-004	454	8	4.000"	2.749"	2.200"	6.135"	2-PC Real Seal, Int
Che-454-005	454	8	4.250"	2.749"	2.200"	6.385"	2-PC Real Seal, Int
Che-454-006	454	8	4.250"	2.749"	2.200"	6.385"	2-PC Real Seal, Int
Che-454-007	454	8	4.250"	2.749"	2.200"	6.385"	2-PC Real Seal, Int
Che-454-008	454	8	4.375"	2.749"	2.200"	6.535"	2-PC Real Seal, Int
Che-454-009	454	8	4.500"	2.749"	2.200"	6.535"	2-PC Real Seal, Int
Che-454-010	454	8	4.500"	2.749"	2.200"	6.535"	2-PC Real Seal, Int
Che-454-011	454	8	4.750"	2.749"	2.200"	6.535"	2-PC Real Seal, Int
Che-454-012	454	8	4.750"	2.749"	2.200"	6.535"	2-PC Real Seal, Int
Che-456-001	456	8	4.000"	2.749"	2.200"	6.135"	1-PC Real Seal, Int
Che-456-002	456	8	4.000"	2.749"	2.200"	6.135"	1-PC Real Seal, Int
Che-456-003	456	8	4.250"	2.749"	2.200"	6.385"	1-PC Real Seal, Int
Che-456-004	456	8	4.250"	2.749"	2.200"	6.385"	1-PC Real Seal, Int
Che-456-005	456	8	4.250"	2.749"	2.200"	6.385"	1-PC Real Seal, Int
Che-456-006	456	8	4.375"	2.749"	2.200"	6.535"	1-PC Real Seal, Int

Che-456-007	456	8	4.500"	2.749"	2.200"	6.535"	1-PC Real Seal, Int
Che-456-008	456	8	4.500"	2.749"	2.200"	6.535"	1-PC Real Seal, Int
Che-456-009	456	8	4.750"	2.749"	2.200"	6.750"	1-PC Real Seal, Int
Che-456-010	456	8	3.622"	2.559"	2.100"	6.098"	2-PC Real Seal, Int
Che-456-011	456	8	3.900"	2.559"	2.100"	6.098"	2-PC Real Seal, Int
Che-456-012	456	8	4.000"	2.559"	2.100"	6.098"	2-PC Real Seal, Int
Che-456-013	456	8	4.100"	2.559"	2.100"	6.098"	2-PC Real Seal, Int
Che-456-014	456	8	4.125"	2.559"	2.100"	6.098"	2-PC Real Seal, Int
Che-001		4	3.228"~3.307"	2.165"	1.9999"		

Dodge

Part Number	Engine	CYL	Storke	Main Diameter	Rod Diameter	Rod Length	Note
Dog-440-001	440	8	3.750"	2.625"	2.375"	6.760"	2-PC Real Seal, Int
Dog-440-002	440	8	3.750"	2.750"	2.375"	6.760"	2-PC Real Seal, Int
Dog-440-003	440	8	3.750"	2.750"	2.375"	6.760"	2-PC Real Seal, Int
Dog-440-004	440	8	3.750"	2.750"	2.375"	6.760"	2-PC Real Seal, Int
Dog-440-005	440	8	3.900"	2.625"	2.200"	6.385"	2-PC Real Seal, Int
Dog-440-006	440	8	3.915"	2.625"	2.200"	6.760"	2-PC Real Seal, Int
Dog-440-007	440	8	4.150"	2.625"	2.200"	6.760"	2-PC Real Seal, Int
Dog-440-008	440	8	4.150"	2.750"	2.375"	6.760"	2-PC Real Seal, Int
Dog-440-009	440	8	4.150"	2.750"	2.200"	6.760"	2-PC Real Seal, Int
Dog-440-010	440	8	4.250"	2.750"	2.200"	6.800"	2-PC Real Seal, Int
Dog-440-011	440	8	4.250"	2.625"	2.200"	6.800"	2-PC Real Seal, Int

Ford

Part Number	Engine	CYL	Storke	Main Diameter	Rod Diameter	Rod Length	Note
Ford-351W-001	351W	8	3.500"	3.000"	2.310"	5.956"	1-PC Real Seal, Int
Ford-351W-002	351W	8	3.600"~4.125"	3.000"	2.100"	6.200"	1-PC Real Seal, Int
Ford-351W-003	351W	8	3.501"	3.000"	2.110"	5.956"	1-PC Real Seal, Ext
Ford-351W-004	351W	8	3.600"~4.126"	3.000"	2.320"	6.200"	1-PC Real Seal, Ext
Ford-351C-001	351C	8	3.500"~4.100"	2.750"	2.100"	6.200"	1-PC Real Seal, Int
Ford-351C-002	351C	8	4.250"	2.750"	2.100"	6.250"	1-PC Real Seal, Int
Ford-351C-003	351C	8	3.500"~4.100"	2.750"	2.100"	6.200"	1-PC Real Seal, Ext
Ford-351C-004	351C	8	4.250"	2.750"	2.100"	6.250"	1-PC Real Seal, Ext
Ford-302-001	302	8	3.000"	2.249"	2.123"	5.090"	1-PC Real Seal, Ext
Ford-302-002	302	8	3.250"	2.249"	2.123"	5.315"	1-PC Real Seal, Ext
Ford-302-003	302	8	3.250"	2.249"	2.123"	5.315"G	1-PC Real Seal, Ext
Ford-302-004	302	8	3.400"	2.249"	2.123"	5.400"	1-PC Real Seal, Ext
Ford-302-005	302	8	3.470"	2.249"	2.123"	5.400"G	1-PC Real Seal, Ext

Honda

Part Number	Engine	CYL	Storke	Main Diameter	Rod Diameter	Rod Length	Note
Hon-B16B-001	B16B	4	3.433"	2.165"	1.772"	5.290"	
Hon-B18-001	B18	4	3.504"	2.165"	1.772"	5.512"/5.564"	

Isuzu

Part Number	Engine	CYL	Storke	Main Diameter	Rod Diameter	Rod Length	Note
Isu-4JA1-001	4JA1	4	3.622"	2.359"	2.359"		
Isu-4JB1-001	4JB1	4	4.016"	2.753"	2.359"		
Isu-4HF1-001	4HF1	4	4.331"	3.225"	2.595"		

Mitsubishi

Part Number	Engine	CYL	Stroke	Main Diameter	Rod Diameter	Rod Length	Note
Mit-4G63-001	4G63	4	3.465"	2.244"	1.772"	5.906"	
Mit-4G64-001	4G64	4	3.937"	2.244"	1.772"		
Nissan							
Part Number	Engine	CYL	Stroke	Main Diameter	Rod Diameter	Rod Length	Note
Nis-SR-001	SR	4	3.583"	2.165"	1.890"	5.366"	
VW							
Part Number	Engine	CYL	Stroke	Main Diameter	Rod Diameter	Rod Length	Note
VW-001		4	2.716"~3.228"	2.165"	2.1654"		

Hurricane OFFICE
 Tel: +86 2884733371 or +86 18982293061
 Email: marketing@hurricane-rod.com.cn
 Fax: 86-2884733371
 Middle Ring Rd Shuangjing Rd
 Chenghua Chengdu Sichuan
 610081 China